Policies

The principles of operation of the sections **Firewall**, **Application Control**, **Content Filter**, and **Traffic Shaping** with connected UTM are identical. Consider it using the **Firewall** section as an example.

Firewall

The Safe Center firewall contains only FORWARD and INPUT tables.

Any ▼

Source
✳ Any ⊗ ▼

Incoming interface
Any ▼

Destination
✳ Any ⊗ ▼

Outgoing interface
Any ▼

Time of action
✳ Any ⊗ ▼

Action

◉ Allow

◯ Deny

Comment

Save Cancel

An example of adding rules in Safe Center:

In Safe Center

The Forward rules created in Safe Center are displayed in two tables: **Initial** and **Final**. These tables are divided by **Local Rules on SafeUTM servers**.

An example of an empty table:

An example of a completed table:

FORWARD   INPUT

The rules apply to all Safe UTM servers

+ Add   Display object names ▾   ▌▌▌ Columns   ⚌ Filters   ☰ Density   🔍 Search…

Protocol	Source	Destination	Destination ports	Action	Comment	Operations
✳ Any	🆔 177.55.10.23	✳ Any	✳ Any	Deny		⏻ ⊹ ↑ ↓ ✎ ⊞ 🗑
Local rules on SafeUTM servers						
✳ Any	✳ Any	✳ Any	✳ Any	Allow		⏻ ⊹ ↑ ↓ ✎ ⊞ 🗑

> **Local rules on SafeUTM servers** are not visible in the Safe Center interface. To view, go to the **Servers** section, click on the eye icon in the line with the required SafeUTM, and go to the **Firewall** section.

In order for the created rule to be included in the **Initial rules** table, specify the Initial value in the **Rule type** line. If you want to place the rule in the **Final rules** table, select the **Final** value.

> You cannot move rules between the **Initial rules** and **Final rules** tables.

In SafeUTM

The table in SafeUTM is visually divided into three parts: top, middle, and bottom.

Operation counter

FORWARD | DNAT (port forwarding) | INPUT | SNAT | Logging

Transit traffic between interfaces

+ Add | Display object names ▾ | ▦ Columns | ≡ Filters | ≣ Density | 🔍 Search...

Protocol	Source	Destination	Destination ports	Action	Comment	Operations
✳ Any	ℙ 177.55.10.23	✳ Any	✳ Any	Deny		⏻
✳ Any	✳ Any	✳ Any	✳ Any	Allow		⏻ ⁺ ↑ ↓ ✏ ⧉ 🗑
✳ Any	✳ Any	✳ Any	✳ Any	Allow		⏻

The rules from the connected Safe Center are transferred to the upper and lower parts. These rules cannot be managed in SafeUTM. The top part corresponds to the **Initial rules** table in the Safe Center. The lower part - the table **Final rules.**

The middle part is created by the UTM administrator in UTM itself and is not visible in the Safe Center interface.

Revision #6
Created 22 March 2023 21:11:30 by Val Redman
Updated 22 April 2023 00:47:04 by Val Redman