

Remote Access for Server Management

SSH Connection from Local Network

To connect to the server's local menu from a local network via SSH, you must:

1. Allow SSH connection. To do this, go to **Server Management -> Administrators** and activate item **Access via SSH from the local network**.
 2. Connect to the server using any SSH client (for example, PuTTY) using port 22. You can download the PuTTY SSH client from <https://www.putty.org/>. It is necessary to specify the **Administrator's** login and password.
-

SSH Connection from the Internet

To connect via SSH from the Internet to the local server menu, you must:

1. Allow SSH connection from the Internet. To do this, go to **Server Management -> Administrators** and activate item **Access via SSH from the external network**.
 2. Connect to the server using any SSH client (for example, PuTTY) using port 22. It is necessary to specify the **Administrator's** login and password.
-

Access to Server Management Web Interface from the Internet

Direct access to the SafeUTM web interface from the Internet is prohibited by default. You can use one of the methods listed below:

1. Enable the function **Access to the web interface from external network** in **Server Management -> Administrators** (this will only allow access by IP address with port 8443).
2. Create a VPN connection to the server, for example, via IPsec, IKEv2, or SSTP. After connecting, you can go to the web interface with the IP address of any local interface (including the IP address from the range for VPN connections. The default address is 10.128.0.1).
3. Create a rule in the reverse proxy for publishing the web interface:

- 3.1. Go to **Services -> Reverse Proxy**.
- 3.2. Add a new rule by filling in the fields as follows:

Reverse proxy

Configure publishing rules

Basic settings

The requested Internet address 

The requested Internet address 

[Add address](#)

Local network address

URL to which requests will be redirected

Additional settings

☒ Redirect HTTP requests to HTTPS

☐ Web Application Firewall

Publication type ▼

[Save](#)

[Cancel](#)

As the requested address, specify the IP address or domain name assigned to SafeUTM external interface.

3.3. Click Save.

3.4. Go to one of the addresses that you specified in the **requested addresses**.

Revision #5

Created 27 August 2022 20:46:54 by Val Redman

Updated 13 October 2022 16:11:31 by Val Redman