

DNS-over-HTTPS setup (DoH domain)

We have 2 ways to create a DoH domain:

1. Using your account dashboard

- Follow the instructions from our guide [here](#) to create a DoH URL link.
- Transform your DoH URL link into a DoH domain.

Simply place the token number before the **doh.safedns.com** domain
Example: **DoH URL**: <https://doh.safedns.com/847593758> → **DoH domain**:
847593758.doh.safedns.com

2. Using Python code

Using Python code allows you to **quickly create DoH domains** for all your policy profiles.

1. For **Reseller accounts**, it is possible to use our [Subscriptions API](#) guide to automatically create all the necessary policy profiles.
2. End-user accounts can create policies manually using the SafeDNS Dashboard interface
3. Once the policies are created, run the Python code to generate the corresponding DoH domains.

Here is the code you need to run in an **environment that supports Python**:

```
import requests

def get_token(login, password):

    api_url = 'https://safedns.com/api/token/by-password/'
    try:
        response = requests.post(api_url, data={'username': login, 'password': password},
```

```

headers={'Content-Type': 'application/x-www-form-urlencoded'})
    response.raise_for_status()
    data = response.json()
    return data.get('access')
except requests.exceptions.RequestException:
    return None

def generate_links(tokens):

    return [f"{token}.doh.safedns.com" for token in tokens if token is not None]

username = 'your_username' # Add your actual username here
password = 'your_password' # Add your actual password here

access_token = get_token(username, password)

if access_token:
    api_url =
"https://safedns.com/dashboard/rest_api/v1/users/111841/profiles/?page=1&page_size=1000"
    #Replace the ID after /users/ with your actual user_id
    try:
        response = requests.get(api_url, headers={'Authorization': f'Bearer {access_token}'})
        response.raise_for_status()
        data = response.json()

        tokens = [item['token'] for item in data.get('results', []) if 'token' in item and
item['token'] is not None]

        result_links = generate_links(tokens)


        for link in result_links:
            print(link)
    except requests.exceptions.RequestException:
        print("Error fetching data.")
    else:
        print("Failed to obtain access token.")

```


Example of how to run the code in Google Colab:

1. Open [Google Colab](#).

2. Select **New Notebook**.
3. Insert the code.



4. Modify lines **18**, **19**, and **24** in the code:
 - **Line 18**: Enter your **username**.
 - **Line 19**: Enter your **password**.
 - **Line 24**: Enter your **User ID** (please contact technical support to obtain your User ID).
5. Run the code



6. After executing the code, the output will display a **list of DoH domains** for all your created policies.

Setting up DNS-over-HTTPS on Android

To configure DNS-over-HTTPS (DoH) on Android, follow these steps:


1. Navigate to **Settings > Network & internet**. (**Note**: on some devices - More connectivity options).
2. Select **Advanced > Private DNS**. (**Note**: On some devices it is under **Advanced** or **More** options).

More connectivity
options




3. Select the **Private DNS provider hostname** option.

Private DNS



4. Add SafeDNS DoH domain - (Example: **837527453.doh.safedns.com**) and select **Save**.



A screenshot of a mobile application dialog box. The dialog has a white background with rounded corners and is set against a grey background. At the top, the text "Private DNS provider hostname" is displayed in a bold, black font. Below this text is a light grey rounded rectangular input field containing the text "837527453.doh.safedns.com". At the bottom of the dialog, there are two buttons: a light grey button on the left labeled "Cancel" and a blue button on the right labeled "Save".

Revision #5

Created 20 September 2024 12:18:37 by Mickaël Gauthier

Updated 25 September 2024 06:03:41 by Leo Nagano