
SafeDNS Agent Enterprise Application initial setup

This step follows the mass deployment of the Agent application. It must be completed to enable the filtering on the device.

> **Before installation, please ensure that the device's battery level is at least 50% and that you have a stable internet connection.**

Initial setup

1. Open the application after it is installed on the device.



Welcome to SafeDNS


By clicking on the button below, you agree with the
Terms of service and Privacy policy

Get started

On this screen, the user can review


Terms of Service and **Privacy Policy**.
Press **Get started** to continue.

2. Enter your work email (Apple ID under control) or another identifier controlled by the IT admin.



A manual entry option for the AuthKey is also available in case of any key delivery issues with the MDM integrator server (rare scenario). The user will have fields to enter the authKey and email.


3. Press the **Next** button on the MDM system notification screen.




This completes the initial setup and opens the Agent interface.

Agent interface

The main screen shows the status of the filtering, and the current filtering policy. Both can be adjusted by the admin in the SafeDNS Dashboard.



You can find the application version and build information in the **About Application** section in the settings menu.



If the internet connection is lost, the user will be simply notified on some screens, while on others, the interface will be disabled to reduce the likelihood of errors.

Created 2024-09-25 06:09:34 UTC by Mickaël Gauthier
Updated 2024-09-25 06:13:20 UTC by Mickaël Gauthier