

# White Labeling - SafeDNS

This guide will describe how to deploy a white-labeled edition of SafeDNS service for your customers.

## Prerequisites

To deploy a white-labeled version of the SafeDNS service you should prepare the following images and send them to your Account Manager.:

1. logo for login page (size 270x150, png with transparency)
2. logo for dashboard pages (size 165x25, png)
3. logo for a favicon (size 40x40, png with transparency)

After becoming a white-labeled reseller you will be able to define custom text and links to show your customers on the welcome screen (first page of the dashboard).

Also please send to your Account Manager information on the name and IP address of the host where your user's dashboard will be accessed by your customers. e.g. *control.yourdomain.com*

Then you should complete the following tasks on your side:

1. Get an SSL certificate for your domain (yourdomain.com in your case) or a single host (control.yourdomain.com). If you will use the certificate for the domain then it should be a wildcarded certificate.
2. Set Nginx or Apache server that will proxy requests to our dashboard (host <https://resellers.safedns.com>) from your host control.yourdomain.com.

We offer such variants to provide full white labeling, not like others where only the entry portal has your URL.

---

## Example of Nginx config file

```
server {  
    listen 80;  
    listen 443 ssl;
```

```
root /var/www/html;

ssl_certificate /etc/ssl/private/control.yourdomain.com.combined.pem;
ssl_certificate_key /etc/ssl/private/control.yourdomain.com.key;
ssl_protocols TLSv1 TLSv1.1 TLSv1.2;

server_name control.yourdomain.com;

if ( $request_uri ~ ^(/downloads/|/nic/) ) { break; }
if ( $scheme = "http" ) { rewrite ^/(.*)$
https://control.yourdomain.com/$1 permanent; }

location / {
proxy_set_header X-Forwarded-Host "control.yourdomain.com";
proxy_set_header X-Real-IP $remote_addr;
proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
proxy_pass https://resellers.safedns.com;

}

}
```

---

## Example of Apache configuration

Install apache2:

```
sudo apt-get install apache2
```

Connect needed modules:

```
sudo a2enmod proxy remoteip
```

Tune configuration file for Apache Web Server:

Example of Apache config file:

```
<VirtualHost *:80>
    ServerAdmin serveradmin@control.yourdomain.com
    Redirect permanent / https://control.yourdomain.com/
</VirtualHost>
```

```
<VirtualHost *:443>
    ServerName control.yourdomain.com
    SSLEngine on
    SSLCertificateKeyFile /etc/ssl/private/control.yourdomain.com.key
    SSLCertificateFile /etc/ssl/private/control.yourdomain.com.combined.pem
    ServerAdmin serveradmin@control.yourdomain.com
    SSLProxyEngine On
    SSLProtocol -all +TLSv1 +TLSv1.1 +TLSv1.2
    ProxyPass / https://resellers.safedns.com/
    ProxyPassReverse / https://resellers.safedns.com/
    RemoteIPHeader X-Real-IP
    RemoteIPHeader X-Forwarded-For
</VirtualHost>
```

Restart Apache Web Server:


```
sudo service apache2 restart
```

We'll identify requests from your users by the combination of X-Forwarded-Host header and IP address of your host and will show a white-labeled edition for your users.

---

## Screenshots of the white-labeled version

Login screen:



Main page of the Dashboard:

Your Company

Main

User administration

Categories

Allowlist

Denylist

Help

Account

Englishplantest-reseller@safedns.com

Account

plantest-reseller@safedns.com

Your IP address

IPv4 DNS-servers addresses

195.46.39.39195.46.39.40

IPv6 DNS-servers addresses

2001:67c:2778::39392001:67c:2778::3940

Account

plantest-reseller@safedns.com

Your IP address

IPv4 DNS-servers addresses

195.46.39.39195.46.39.40

IPv6 DNS-servers addresses

2001:67c:2778::39392001:67c:2778::3940

Account

plantest-reseller@safedns.com

Your IP address

IPv4 DNS-servers addresses

195.46.39.39195.46.39.40

IPv6 DNS-servers addresses

2001:67c:2778::39392001:67c:2778::3940

Account

plantest-reseller@safedns.com

Your IP address

IPv4 DNS-servers addresses

195.46.39.39195.46.39.40

IPv6 DNS-servers addresses

2001:67c:2778::39392001:67c:2778::3940

Account

plantest-reseller@safedns.com

Your IP address

IPv4 DNS-servers addresses

195.46.39.39195.46.39.40

IPv6 DNS-servers addresses

2001:67c:2778::39392001:67c:2778::3940

Account

plantest-reseller@safedns.com

Your IP address

IPv4 DNS-servers addresses

195.46.39.39195.46.39.40

IPv6 DNS-servers addresses

2001:67c:2778::39392001:67c:2778::3940

Customization page:

Styles

Typeface: Roboto  
Green

Typeface: Roboto  
Yellow

Typeface: Roboto  
Standard

Typeface: Poppins  
Coral

Typeface: Poppins  
Mint

Typeface: Poppins  
Blue

Typeface: Poppins  
Purple

Save changes

# Further customization

Additionally, we offer customization of the dashboard so you can change the dashboard appearance for your users.

You can change:

- Brand data - company name, contact emails
- Styles - change color scheme and icons
- Favicon - change favicon logo
- Dashboard logo - change the dashboard logo
- Main page content - change the main page content, links to instruction, text, images, etc.
- Footer content - change the information section at the bottom of the dashboard
- Links to social networks - add your social media to stay in touch with your customers
- Logo on the login page - change the logo on the main login page of the White-Labeled portal

For sending emails from your domain, connect your email in the “Brand data” section of the “Settings” tab on the SafeDNS dashboard. Then, send your SMTP hostname to SafeDNS support team ([support@safedns.com](mailto:support@safedns.com)). Set up email sending without authentication from mail.safedns.com IP address in your mail server.

Also branding of SafeDNS Agent is available for an additional fee.

Please contact your Account Manager to get further information and pricing.

---

Revision #6

Created 28 August 2022 23:42:40

Updated 19 September 2024 04:09:41 by Leo Nagano